

SIMPONI® (golimumab) is the first and only once-monthly self-injectable biologic treatment with just one injection each month for adults with:

- moderate to severe rheumatoid arthritis (RA), with the medicine methotrexate
- active psoriatic arthritis, alone or with the medicine methotrexate
- active ankylosing spondylitis

Methotrexate is used as directed.

Once you and your doctor are comfortable with the self-injection process, you will inject SIMPONI® under the skin, just once a month.

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.

Janssen CarePath Savings Program

You may be eligible to save on your out-of-pocket medication costs for SIMPONI®. **For eligibility, requirements and restrictions, [click here](#) to get the Janssen CarePath Savings Program for SIMPONI® Guide.**



DISCOVER SIMPONI®

Inside this guide you'll learn about SIMPONI® — how it works, how it's given, and important information you should know. You'll also learn about Janssen CarePath for SIMPONI® tools and services that can help make it easy to get off to a good start.

Whether you're considering SIMPONI® or just starting treatment, we encourage you to read this guide and then talk with your doctor.

The SIMPONI® Difference	3
Learn About SIMPONI®	5
Doctor Discussion Guide	11
Getting Started	13
Important Safety Information	14
Janssen CarePath for SIMPONI®	17



Simponi®
golimumab

Learning about once-monthly SIMPONI®:
EASY AS TAKING A CLOSER LOOK



The SIMPONI® Difference

SIMPONI® is the first and only once-monthly self-injectable biologic treatment with just one injection each month for adults with:

- moderate to severe rheumatoid arthritis (RA), with the medicine methotrexate
- active psoriatic arthritis, alone or with the medicine methotrexate
- active ankylosing spondylitis

Methotrexate is used as directed.

Once you and your doctor are comfortable with the self-injection process, you will inject SIMPONI® under the skin, just once a month.

Proven effective with just one injection each month

In clinical trials, one injection of SIMPONI® monthly has been proven to relieve:

- pain, stiffness, and swelling of moderate to severe RA
- pain, stiffness, swelling, and skin symptoms of active psoriatic arthritis. SIMPONI® is not approved to treat plaque psoriasis
- pain and stiffness of active ankylosing spondylitis

Results may not be the same for everyone.

2 easy-to-use injection options

Choose either the SmartJect® autoinjector or the prefilled syringe. Both injection devices provide a low volume of SIMPONI® medicine (0.5 mL) with each dose. And with the specially designed SmartJect® autoinjector, you never have to see the needle.

The SmartJect® autoinjector and prefilled syringe have been awarded the Ease-of-Use Commendation by the Arthritis Foundation®.



Your support, your way

Janssen CarePath for SIMPONI® provides a wide range of tools and services to help you get started with SIMPONI®.

• Medication Cost Support (See pages 19–20)

Janssen CarePath can help explain your health insurance coverage and potential out-of-pocket medication costs, and identify resources that can help make SIMPONI® more affordable.

• Injection Support (See pages 21–22)

Janssen CarePath offers tools to help you feel confident when self-injecting SIMPONI®, including the SmartJect® autoinjector reusable trainer, and SmartJect® Autoinjector *Instructions for Use*. You can also access injection demonstration videos on Simponi.com. Janssen Nurse Support is also available 7 days a week to answer additional injection questions.

• Treatment Support (See pages 23–24)

Janssen CarePath offers additional tools and services to help you manage your treatment, such as Safe Returns®, a simple, safe, and convenient way to dispose of and return your used SIMPONI® injection devices — **at no cost to you**.

For more information, please contact Janssen CarePath at 877-CarePath (877-227-3728) or visit Simponi.com/Support.

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.



Learning about once-monthly SIMPONI®: EASY AS KNOWING WHERE TO START




What type of treatment is SIMPONI® and how does it work?

SIMPONI® is a biologic anti-TNF (tumor necrosis factor) medication.

People with conditions such as rheumatoid arthritis (RA), psoriatic arthritis, and ankylosing spondylitis have too much TNF-alpha, a protein made by your body's immune system. This can cause the immune system to attack parts of the body and lead to pain and stiffness in the joints.

SIMPONI® targets and blocks the effects of excess TNF-alpha, helping to prevent an underlying cause of the signs and symptoms of the condition.

SIMPONI® targets, binds with, and blocks excess TNF-alpha, helping to control inflammation



It's important to know that blocking too much TNF-alpha can lessen your body's ability to fight infections.

SIMPONI® is not for everyone; only your doctor can decide if SIMPONI® is right for you.

What to expect from your treatment

While some people using SIMPONI® may experience symptom relief in just one month, studies show that SIMPONI® relieves the symptoms of moderate to severe rheumatoid arthritis (RA), with the medicine methotrexate; active psoriatic arthritis, alone or with the medicine methotrexate; and active ankylosing spondylitis, after 3 months. Methotrexate is taken as directed. Your results may vary. Talk with your doctor about your response to SIMPONI®.



"By reducing the pain and swelling in my joints, SIMPONI®, taken with methotrexate, has helped me be active again. So I can climb up the stairs in my house, walk my dog, and work in my garden more easily."

JAN M., NEBRASKA
Living with rheumatoid arthritis (RA).
Your results may vary.

Watch her story at [Simponi.com/Jan](https://www.simponi.com/Jan)

For more information about how SIMPONI® treats your condition, please visit [Simponi.com](https://www.simponi.com).

Talk with your doctor to learn more about SIMPONI® and find out if it's right for you.

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.



How often is SIMPONI® given?

SIMPONI® requires just one injection, once a month. That's fewer monthly injections than any other biologic anti-TNF medication.

Recommended dosing for anti-TNF treatments for moderate to severe rheumatoid arthritis (RA) that are injected under the skin

Minimum number of injections every 4 weeks/month

SIMPONI® (golimumab)
+ methotrexate



CIMZIA®†**
(certolizumab pegol)



HUMIRA®
(adalimumab)




ENBREL®**
(etanercept)



*Indicated trademarks are the registered trademarks of their respective owners.
†Dosing schedule presented does not include initial starting doses.

This presentation is not intended to compare the safety, effectiveness, or uses of these treatments. Please refer to each product's Prescribing Information for recommended dosing and administration. SIMPONI®, as well as ENBREL® and HUMIRA®, is also available in a prefilled syringe.

While dosing frequency is important, there are other factors to consider. So talk to your doctor about treatment options and what might be right for you.



"I give myself the SIMPONI® injection just once a month, which is good for me because of my busy travel schedule. The injection hardly hurts and doesn't bother me."

TOM W., TEXAS
Living with ankylosing spondylitis.
Your results may vary.

To read his story, visit Simponi.com/Tom

SIMPONI® is the first and only once-monthly self-injectable biologic treatment with just one injection each month for adults with:

- moderate to severe rheumatoid arthritis (RA), with the medicine methotrexate
- active psoriatic arthritis, alone or with the medicine methotrexate
- active ankylosing spondylitis

Methotrexate is used as directed.

Once you and your doctor are comfortable with the self-injection process, you will inject SIMPONI® under the skin, just once a month.

SELECTED IMPORTANT SAFETY INFORMATION


SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.

How is SIMPONI® given?

SIMPONI® is given by self-injection under the skin. Once you and your doctor are comfortable with the self-injection process, you will inject a single dose of SIMPONI® just once a month in the privacy of your home.

2 WAYS TO SELF-INJECT SIMPONI® The SmartJect® autoinjector

It's specially designed with your needs in mind. The easy-to-grip, oval-shaped body fits comfortably in your hand, and a simple squeeze of the side activation button injects SIMPONI® under the skin. The green safety sleeve helps ensure that you will be able to inject your medicine only when the autoinjector is firmly pressed against the skin. And the thin needle remains hidden throughout the injection process.



The prefilled syringe

For those who prefer a prefilled syringe, SIMPONI® gives you that choice too. As with the SmartJect® autoinjector, the first time you use it should be in your doctor's office with the help of your doctor or nurse.

The SmartJect® autoinjector and prefilled syringe have been awarded the Ease-of-Use Commendation by the Arthritis Foundation®.



Watch injection demonstration videos

Step-by-step injection demonstration videos on using the SmartJect® autoinjector and the prefilled syringe are available online at Simponi.com/Injection.

The injection demonstration videos aren't meant to replace the *Instructions for Use* that come with SIMPONI® medication and can be found in the back pocket of this guide.



"I give myself SIMPONI® with the autoinjector. My doctor showed me how to use it, so now I can do it right at home. What's really great about it is you never see the needle, and you only have to do it once a month."

CHANTELLE S., MASSACHUSETTS
Living with rheumatoid arthritis (RA).
Your results may vary.

Watch her story: Simponi.com/Chantelle

Injection support

Janssen CarePath offers tools to help you feel confident when self-injecting SIMPONI®, including the SmartJect® autoinjector reusable trainer, and SmartJect® Autoinjector *Instructions for Use*. You can also access injection demonstration videos on Simponi.com. Janssen Nurse Support is also available 7 days a week to answer additional injection questions. Learn more at Simponi.com/InjectionSupport.

Are SIMPONI® injections painful?

SIMPONI® injections were pain-free for most people in clinical trials with moderate to severe RA, active psoriatic arthritis, and active ankylosing spondylitis. Less than 1% of people treated with SIMPONI® reported experiencing any injection site pain, and only 6% experienced injection site reactions, such as redness, swelling, itching, pain, bruising, or tingling.

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.



**Considering SIMPONI® (golimumab):
EASY AS TALKING WITH YOUR DOCTOR**



Before you talk to your doctor, take a few moments to think back. By discussing not just the last couple of weeks, but the last few months, you can help your doctor identify the treatment that’s right for you.

Questions to ask yourself

1. My joint pain and stiffness has
 gotten worse been the same improved
2. The frequency of my symptoms has
 increased stayed the same decreased
3. Everyday activities such as getting dressed, walking, and running errands have become
 more difficult about the same easier
4. My treatment provides the symptom relief I expect.
 not at all sometimes most of the time
5. A once-monthly self-injectable biologic treatment could fit my lifestyle.
 yes no

Other things you’ve noticed

Other questions you might have

Questions to ask your doctor

1. What can we do if I am not getting the symptom relief I expect?
2. I’d like to consider a once-monthly injectable treatment that relieves my symptoms. Could SIMPONI® be a good option for me?
3. What are the benefits and risks of SIMPONI®?
4. How is SIMPONI® taken? Could you show me the SmartJect® autoinjector and demonstrate how it works?
5. Are SIMPONI® injections painful?
6. How can we manage my symptoms and treatment so that I can get back to doing activities I used to do, like _____ and _____?
7. What else should I consider before starting on SIMPONI®?

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.



Here are a few steps you can take to help you get started once you and your doctor decide that SIMPONI® (golimumab) is right for you.

Ask your doctor to train you on the proper way to self-inject SIMPONI® under the skin, using either the SmartJect® autoinjector or the prefilled syringe.

Call a Janssen CarePath Care Coordinator to find out if you are eligible to pay \$5 for each SIMPONI® injection with the Janssen CarePath Savings Program for SIMPONI® and the Savings Program Card.

See pages 19–20 for medication cost support options.

Fill your SIMPONI® prescription through a specialty pharmacy, or directly from your local pharmacy, so you have it in time for your next monthly injection. Janssen CarePath can help you locate a specialty pharmacy.

Contact Janssen Nurse Support at 877-CarePath (877-227-3728) for the additional injection support you may need.

See page 22 to learn more about Janssen Nurse Support.

Schedule your medication and treatment reminders with Care4Today® Mobile Health Manager. Learn more and download the free app at mhm.care4today.com.

Enroll in Safe Returns®, a simple, safe, and convenient way to dispose of your used autoinjectors or syringes — **at no additional cost to you.**

See pages 25–26 to learn about Safe Returns® service.

To get started:

Call Janssen CarePath at 877-CarePath (877-227-3728)

Monday – Friday, 8:00 AM – 8:00 PM ET
or visit Simponi.com/Support

Janssen Nurse Support:

Weekdays, 9:00 AM – 8:00 PM ET

Weekends, 9:00 AM – 5:00 PM ET

All other times, a nurse will return your call in about 15 minutes.

¿Habla español?

Janssen Nurse Support offers assistance in Spanish.

SIMPONI® (golimumab) is a prescription medicine. SIMPONI® can lower your ability to fight infections. There are reports of serious infections caused by bacteria, fungi, or viruses that have spread throughout the body, including tuberculosis (TB) and histoplasmosis. Some of these infections have been fatal. Your doctor will test you for TB before starting SIMPONI® and will monitor you for signs of TB during treatment. Tell your doctor if you have been in close contact with people with TB. Tell your doctor if you have been in a region (such as the Ohio and Mississippi River Valleys and the Southwest) where certain fungal infections like histoplasmosis or coccidioidomycosis are common.

You should not start SIMPONI® if you have any kind of infection. Tell your doctor if you are prone to or have a history of infections or have diabetes, HIV or a weak immune system. You should also tell your doctor if you are currently being treated for an infection or if you have or develop any signs of an infection such as:

- fever, sweat, or chills
- muscle aches
- cough
- shortness of breath
- blood in phlegm
- weight loss
- warm, red, or painful skin or sores on your body
- diarrhea or stomach pain
- burning when you urinate or urinate more than normal
- feel very tired

CANCER

Unusual cancers have been reported in children and teenage patients taking TNF blocker medicines. For children and adults taking TNF blockers, including SIMPONI®, the chances for getting lymphoma or other cancers may increase. Hepatosplenic T-cell lymphoma, a rare and fatal lymphoma, has occurred mostly in teenage or young adult males with Crohn's disease or ulcerative colitis who were taking other TNF blockers with azathioprine or 6-mercaptopurine. You should tell your doctor if you have had or develop lymphoma or other cancers

Some people treated with SIMPONI® have developed certain kinds of skin cancer. If any changes in the appearance of your skin or growths on your skin occur during or after your treatment with SIMPONI®, tell your doctor.

*Important Safety Information
continues on page 15 ▶*



Continued from page 14

USE WITH OTHER DRUGS

Tell your doctor about all the medications you take including ORENCIA (abatacept), KINERET (anakinra), ACTEMRA (tocilizumab), RITUXAN (rituximab), or another TNF blocker, or if you are scheduled to or recently received a vaccine. People taking SIMPONI® (golimumab) should not receive live vaccines or treatment with a weakened bacteria (such as BCG for bladder cancer).

HEPATITIS B INFECTION

Reactivation of hepatitis B virus has been reported in patients who are carriers of this virus and are taking TNF-blocker medicines, such as SIMPONI®. Some of these cases have been fatal. Your doctor should do blood tests before and after you start treatment with SIMPONI®. Tell your doctor if you know or think you may be a carrier of hepatitis B virus or if you experience signs of hepatitis B infection, such as:

- feel very tired
- dark urine
- skin or eyes look yellow
- little or no appetite
- vomiting
- muscle aches
- clay-colored bowel movements
- fevers
- chills
- stomach discomfort
- skin rash

HEART FAILURE

Heart failure can occur or get worse in people who use TNF blockers, including SIMPONI®. If you develop new or worsening heart failure with SIMPONI®, you may need treatment in a hospital, and it may result in death. Your doctor will closely monitor you if you have heart failure. Tell your doctor right away if you get new or worsening symptoms of heart failure like shortness of breath, swelling of your lower legs or feet, or sudden weight gain.

NERVOUS SYSTEM PROBLEMS

Rarely, people using TNF blockers, including SIMPONI®, can have nervous system problems such as multiple sclerosis or Guillain-Barré syndrome. Tell your doctor right away if you have symptoms like vision changes, weakness in your arms or legs, or numbness or tingling in any part of your body.

IMMUNE SYSTEM PROBLEMS

Rarely, people using TNF blockers have developed lupus-like symptoms. Tell your doctor if you have any symptoms such as a rash on your cheeks or other parts of the body, sensitivity to the sun, new joint or muscle pain, becoming very tired, chest pain or shortness of breath, swelling of the feet, ankles, and/or legs.

LIVER PROBLEMS

Serious liver problems can happen in people using TNF blockers, including SIMPONI®. Contact your doctor immediately if you develop symptoms such as feeling very tired, skin or eyes look yellow, poor appetite or vomiting, or pain on the right side of your stomach.

BLOOD PROBLEMS

Low blood counts have been seen with people using TNF blockers, including SIMPONI®. If this occurs, your body may not make enough blood cells to help fight infections or help stop bleeding. Your doctor will check your blood counts before and during treatment. Tell your doctor if you have signs such as fever, bruising, bleeding easily, or paleness.

OTHER CONSIDERATIONS TO TELL YOUR DOCTOR

Tell your doctor if you are allergic to rubber or latex. The needle cover contains dry natural rubber.

Tell your doctor if you are pregnant, planning to become pregnant or are breastfeeding or have a baby and were using SIMPONI® during pregnancy. Tell your baby's doctor before your baby receives any vaccine because of an increased risk of infection for up to 6 months after birth.

ALLERGIC REACTIONS

Allergic reactions can happen in people who use TNF-blocker medicines, including SIMPONI®. Tell your doctor if you have any symptoms of an allergic reaction while taking SIMPONI® such as hives, swollen face, breathing trouble, or chest pain. Some reactions can be serious and life-threatening.

Common side effects of SIMPONI® include: upper respiratory tract infection, reaction at site of injection, and viral infections.

PSORIASIS

New or worse psoriasis symptoms may occur. Tell your doctor if you develop red scaly patches or raised bumps that are filled with pus.

Please read the [Medication Guide](#) for SIMPONI® and discuss any questions you have with your doctor.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.


SimpONI®
golimumab

Having the tools and services you need:
EASY AS GETTING YOUR SUPPORT, YOUR WAY



SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® (golimumab) can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the [Medication Guide](#), and talk with your doctor.

Janssen CarePath for SIMPONI® provides you with tools, support, and services to help you succeed in managing your treatment with once-monthly SIMPONI®.

Janssen CarePath can help you with:

Medication Cost Support (See pages 19–20)

Janssen CarePath can help explain your health insurance coverage and potential out-of-pocket medication costs, and identify resources that can help make SIMPONI® more affordable, such as the Janssen CarePath Savings Program for SIMPONI®.

Injection Support (See pages 21–22)

Janssen CarePath offers tools to help you feel confident when self-injecting SIMPONI®, including the SmartJect® autoinjector reusable trainer, and SmartJect® Autoinjector *Instructions for Use*. You can also access injection demonstration videos at [Simponi.com](#). Janssen Nurse Support is also available 7 days a week to answer additional injection questions. Once you and your doctor are comfortable with the self-injection process, you will inject SIMPONI® under the skin, just once a month.

Treatment Support (See pages 23–24)

Janssen CarePath offers additional tools and services to help you manage your treatment, such as Safe Returns®, a simple, safe, and convenient way to dispose of and return your used SIMPONI® injection devices — **at no cost to you.**

Create your Janssen CarePath personal support profile

At [Simponi.com/Support](#), you can create a personal support profile, where you can choose and manage the tools and services that are right for you.

To get started:

**Call Janssen CarePath at 877-CarePath
(877-227-3728)**

Monday – Friday, 8:00 AM – 8:00 PM ET
 or visit [Simponi.com/Support](#)

Janssen Nurse Support:

Weekdays, 9:00 AM – 8:00 PM

Weekends, 9:00 AM – 5:00 PM

All other times, a nurse will return your call in about 15 minutes.

¿Habla español?

Janssen Nurse Support offers assistance in Spanish.

Medication Cost Support

HELPS MAKE SIMPONI® (golimumab) MORE AFFORDABLE

Whether you have commercial or private health insurance, government-funded insurance, or no health insurance, Janssen CarePath can help explain your insurance coverage and potential out-of-pocket medication costs, and identify resources that can help make SIMPONI® more affordable.

If you have commercial or private health insurance:



A Janssen CarePath Care Coordinator can determine if you are eligible for the Janssen CarePath Savings Program for SIMPONI®. If eligible, you may receive

up to a full year of instant savings on your SIMPONI® out-of-pocket medication costs.

Janssen CarePath Savings Program

You pay just \$5 for each SIMPONI® injection

\$20,000 maximum program benefit per calendar year.
Offer for new enrollment expires December 31, 2016.
Not valid for patients enrolled in Medicare, Medicare Part D, or Medicaid.

A Janssen CarePath Care Coordinator will contact you before the calendar year ends to review your continued eligibility for the next calendar year. If eligible, you'll continue to pay just \$5 for each SIMPONI® injection.

For eligibility, requirements, and restrictions, please visit Simponi.com/CostSupport.

If you have government-funded insurance such as Medicare or Medicaid, or need supplemental assistance:

Janssen CarePath can help direct you to independent foundations that may be able to help you if you have government-funded insurance, or have exhausted your commercial or private health insurance prescription benefit, and need help affording your SIMPONI® medication.

If you have no health insurance:

If you do not have coverage for SIMPONI®, Janssen Prescription Assistance may be able to help. At JanssenPrescriptionAssistance.com/Simponi, you will find information for prescription assistance programs including independent foundations that may have available funding to help with drug costs for SIMPONI®.

Janssen Prescription Assistance

Brought to you by *Johnson & Johnson* HEALTH CARE SYSTEMS INC.

To determine your eligibility for other assistance programs that may be able to help with SIMPONI® medication costs, visit JanssenPrescriptionAssistance.com/Simponi.

To get started with Medication Cost Support, contact Janssen CarePath:

Call **877-CarePath (877-227-3728)**
Monday – Friday, 8:00 AM – 8:00 PM ET
or visit Simponi.com/CostSupport

¿Habla español?

Janssen CarePath offers Spanish-speaking Care Coordinators.

Please read the Full [Prescribing Information](#), including [Box Warnings](#), and [Medication Guide](#) for SIMPONI® and discuss any questions you may have with your doctor.

Injection Support

TO HELP YOU INJECT WITH CONFIDENCE

You and your doctor will choose either the SmartJect® autoinjector or prefilled syringe to inject your SIMPONI® (golimumab) medication. Your doctor will train you on the proper way to give yourself an injection under the skin. If you still have questions, you can find help by:

- reviewing the *Instructions for Use* that come with your SIMPONI® medication
- watching the demonstration videos at Simponi.com/Injection
- practicing with the SmartJect® autoinjector reusable trainer
- calling Janssen Nurse Support

The SmartJect® autoinjector reusable trainer



With no needle or medicine inside, practicing with the SmartJect® autoinjector reusable trainer, included in the SIMPONI® Welcome Pack, can help you feel more comfortable

injecting with the SmartJect® autoinjector that contains your SIMPONI® medication.

Please thoroughly read the instructions that come with the SmartJect® autoinjector reusable trainer, or watch the video demonstration at Simponi.com/Trainer.

3 ways to order the SIMPONI® Welcome Pack with the SmartJect® autoinjector reusable trainer:

- complete and mail the attached Reply Card
or
- call **877-CarePath (877-227-3728)**
or
- visit Simponi.com/WelcomePack

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and

Janssen Nurse Support is available for additional injection support

After speaking with your doctor, you may still have additional questions. Janssen Nurse Support is available 7 days a week to help you. It's the additional support you may need to help you feel more prepared when self-injecting with SIMPONI®.

Once you and your doctor are comfortable with the self-injection process, you will inject SIMPONI® under the skin, just once a month.

Contact Janssen Nurse Support:

Call **877-CarePath (877-227-3728)**

Weekdays, 9:00 AM – 8:00 PM ET

Weekends, 9:00 AM – 5:00 PM ET

All other times, a nurse will return your call in about 15 minutes.

¿Habla español?

Janssen Nurse Support offers assistance in Spanish.

Watch step-by-step injection demonstration videos at Simponi.com/Injection

You'll find demonstration videos on using the SmartJect® autoinjector, the SmartJect® autoinjector reusable trainer, and the prefilled syringe. These videos can help you feel more comfortable self-injecting with SIMPONI®.

The demonstration videos do not replace the *Instructions for Use* that come with your SIMPONI® medication and can be found in the back pocket of this brochure.

SELECTED IMPORTANT SAFETY INFORMATION (cont'd)

infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the [Medication Guide](#), and talk with your doctor.



Treatment Support

THERE FOR YOU WHEN YOU NEED US

Your Janssen CarePath Care Coordinator will provide you with information about your specialty pharmacy. A specialty pharmacy has experience in handling biologic medications and can also:

- confirm your health insurance coverage
- explain the cost of your medication and any potential out-of-pocket expenses
- help you get the most from your health insurance medication coverage and identify resources that can help make your SIMPONI® (golimumab) medication more affordable
- arrange for prompt shipment of your medication to your home or other convenient location

SIMPONI® Welcome Pack

Here's a convenient way to help you get started with SIMPONI®. The Welcome Pack includes tools and information, including:



SmartJect® Autoinjector Reusable Trainer — with no needle or medicine inside, you can practice injecting as often as you like in the comfort of your home.

Treatment Preparation Mat — a reusable laminated guide with instructions for injecting with the SmartJect® autoinjector.

If you did not receive a SIMPONI® Welcome Pack with this guide, you may request one from [Janssen CarePath](#).

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the enclosed Medication Guide, and talk with your doctor.

3 ways to order the SIMPONI® Welcome Pack:

- complete and mail the attached Reply Card
or
- call **877-CAREPATH (877-227-3728)**
or
- visit [Simponi.com/WelcomePack](#)



“One of the things that makes SIMPONI® more affordable for me is the Janssen CarePath Savings Program for SIMPONI®. I'd encourage others with active psoriatic arthritis to consider SIMPONI®.”

BYRON M., WASHINGTON
Living with psoriatic arthritis.
Your results may vary.

Watch his story at [Simponi.com/Byron](#)

The SIMPONI® Travel Pack with Travel Advisory Card

If you need to travel when it's time for your once-monthly SIMPONI® injection, the travel pack holds your SmartJect® autoinjector or prefilled syringe, so your SIMPONI® medication stays cold and protected from light. It also comes with a travel advisory card your doctor can sign to let gate security know that your SIMPONI® medicine is for your own therapeutic use, so you can carry it on the plane.

For more information on how to use the Travel Pack, see the Travel Advisory Card that comes with it.



To order the SIMPONI® Travel Pack:

Call **877-CAREPATH (877-227-3728)** or visit [Simponi.com/TreatmentSupport](#)

Treatment Support

Safe Returns®

Once-a-year return service for your once-monthly treatment with SIMPONI® (golimumab).

Safe Returns® combines a simple and safe way to dispose of your used SIMPONI® injection device immediately after each once-monthly treatment, with the convenience of a once-a-year return service — **at no additional cost to you.**



Simple:

Safe Returns® gives you everything you need to properly dispose of your used SIMPONI® injection devices for a full year before mailing them back.

Safe:

Placing your used SmartJect® autoinjector or used syringe into the specially designed Safe Returns® disposal container, tightening the lid securely, and storing it out of the reach of children and pets helps keep everyone safe.

Convenient:

The Safe Returns® container can hold 12 used SmartJect® autoinjectors, so you can return it for disposal just once a year — reducing the shipping materials you have to receive, paperwork you have to do, and trips to the post office you have to make, compared to the once-monthly Safe Returns® service. And because the Safe Returns® disposal container holds even more used syringes, you can return it for disposal even less frequently.

Here's how Safe Returns® works:

- When you sign up, you'll receive a Safe Returns® white plastic disposal container in the mail
- Follow the enclosed instructions for placing a used injection device into the disposal container after each once-monthly injection with SIMPONI®
- When your disposal container is full, after your 12th injection, contact Janssen CarePath for SIMPONI® by phone, or visit Simponi.com/SafeReturns to request a Replacement Pack
- We'll send you a Safe Returns® Replacement Pack with a new disposal container, along with everything you need to properly mail back your filled container for disposal

3 ways to enroll in Safe Returns®:

- complete and mail the attached Reply Card
- or
- call **877-CAREPATH (877-227-3728)**
- or
- visit Simponi.com/SafeReturns

SELECTED IMPORTANT SAFETY INFORMATION

SIMPONI® can lower your ability to fight infections. Serious and sometimes fatal events may occur. There have been reports of serious infections including tuberculosis (TB) and infections caused by bacteria, fungi, or viruses that have spread throughout the body. Other possible serious side effects may include lymphoma, skin cancer, a rare and fatal cancer called hepatosplenic T-cell lymphoma, other cancers, hepatitis B, heart failure, nervous system problems, lupus-like syndrome, or allergic reactions. To learn more about these and other risks, please read the Important Safety Information on pages 14–16 and the Medication Guide, and talk with your doctor.